

Page 1/10

Safety Data Sheet according to WHS Regulations

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· Product identifier

- Trade name: EQUIA Forte Coat
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:

GC Australasia Dental Pty Ltd 1753 Botany Road Banksmeadow, NSW 2019 Tel: +61 2 9301 8200

• Further information obtainable from: Regulatory affairs • Emergency telephone number: 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Exemptions*

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Danger

 Hazard-determining components of labelling: Methyl methacrylate (25-<50 %) diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (≥3-<5 %)
 Hazard statements

Highly flammable liquid and vapour.

(Contd. on page 2)

⁻ AU

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

(Contd. of page 1)

Trade name: EQUIA_Forte_Coat

Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
80-62-6	Methyl methacrylate	25-<50%
	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
	silicon dioxide	10-<25%
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	≥3-<5%
	Repr. 2, H361	
· SVHC		

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

• General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist consult doctor.

(Contd. on page 3)

[–] ÁU

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

(Contd. of page 2)

Trade name: EQUIA_Forte_Coat

• After swallowing:

- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire Fighting Measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- *Special hazards arising from the substance or mixture* Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

 Personal precautions, protective equipment and emergency procedures
 Remove persons from danger area.
 Keep away from ignition sources.
 Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

• Methods and material for containment and cleaning up:

- Ensure adequate ventilation.
- Absorb liquid components with liquid-binding material.
- Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

AU

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

(Contd. of page 3)

Trade name: EQUIA_Forte_Coat

Do not spray onto a naked flame or any incandescent material.

- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store in a cool location. Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Store in a cool place.
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

80-62-6 Methyl methacrylate

WES Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm Sen

7631-86-9 silicon dioxide

TWA Long-term value: 2 mg/m³

· DNELs

80-62-6 Methyl methacrylate

Dermal DNEL dermal 13.67 mg/kg bw/day (man) (worker, l. te., syst.)

Inhalative DNEL inhalation 208 mg/m3 (air) (worker, l. te., syst.)

• Additional information: The lists valid during the making were used as basis.

- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

AU

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

Trade name: EQUIA_Forte_Coat

Eye protection:		(Contd. of page
Tightly sealed goggles		
Physical and Chemical Proper	ties	
General Information		
Appearance:		
Form:	Liquid	
· Colour:	Clear	
· Odour:	Pungent	
Odour threshold:	Not determined.	
<i>pH-value:</i>	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rang	e: Undetermined.	
Flash point:	10 °C (50 °F)	
Flammability (solid, gas):	Highly flammable.	
Auto-ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:	1 1	
Lower:	2.1 Vol %	
Upper:	12.5 Vol %	
Vapour pressure:	Not determined.	
Density at 20 °C (68 °F):	1.06 g/cm ³ (8.8457 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water		
Viscosity:		
Dynamic:	Not determined.	
<i>Kinematic:</i>	Not determined.	
Solvent content:		
VOC (EC)	0.0 g/l	
Other information	No further relevant information available.	

10 Stability and Reactivity

· *Reactivity* No further relevant information available.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

 \cdot Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 6)

⁻ AU -

Version number 4

Revision: 10.04.2024

(Contd. of page 5)

Trade name: EQUIA Forte Coat

Printing date 10.04.2024

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

80-62-6 Methyl methacrylate

Oral	LD50	6,000 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rab)

Inhalative LC50/4 h 29.8 mg/l (rat (f+m))

7631-86-9 silicon dioxide

LD50 Oral 10,000 mg/kg (rat (f+m))

· Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Suspected of damaging fertility or the unborn child.*
- · STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- *Repeated dose toxicity No further relevant information available.*
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological Information

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

- Additional ecological information:
- · General notes:

[·] Toxicity

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

Trade name: EQUIA_Forte_Coat

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADG, IMDG, IATA	UN1247
UN proper shipping name	
ADG	1247 METHYL METHACRYLATE MONOME
	STABILIZED
IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZED
Transport hazard class(es)	
ADG	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
ADG, ĬMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	C
Stowage Code	SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
Transport in bulk according to Annex II of Mar	pol
and the IBC Code	Not applicable.

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

Trade name: EQUIA_Forte_Coat

(Contd. of page	
Temperature control is not required, in regards to Specie Provision 386. Product uses chemical stabilization.	
lL	
Code: E2	
Maximum net quantity per inner packaging: 30 ml	
Maximum net quantity per outer packaging: 500 ml	
2	
D/E	
1L	
Code: E2	
Maximum net quantity per inner packaging: 30 ml	
Maximum net quantity per outer packaging: 500 ml	
UN 1247 METHYL METHACRYLATE MONOMEK STABILIZED, 3, II	

15 Regulatory information

*

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian I	Inventory of Industrial Chemicals	
29570-58-9	2-[[3-[(1-oxoallyl)oxy]-2,2-bis[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)o: methyl]-1,3-propanediyl diacrylate	xy]
80-62-6	Methyl methacrylate	
7631-86-9	silicon dioxide	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
10287-53-3	ethyl 4-dimethylaminobenzoate	
128-37-0	Butylated hydroxytoluene	
10373-78-1	Camphorquinone	
2530-85-0	3-trimethoxysilylpropyl methacrylate	
· Standard fo	r the Uniform Scheduling of Medicines and Poisons	
80-62-6 Me	thyl methacrylate S6, S	510
· Australia: P	Priority Existing Chemicals	
None of the	ingredients is listed.	-
GHS label e	elements The product is classified and labelled according to the Globally Harmonised System (GH	S).



GHS07

· Signal word Danger

GHS02

• *Hazard-determining components of labelling: Methyl methacrylate (25-<50 %)*

GHS08

(Contd. on page 9)

⁻ AU

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

Trade name: EQUIA_Forte_Coat

$diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (\geq 3-<5\%)$	(Contd. of page 8)
· Hazard statements	
Highly flammable liquid and vapour.	
Causes skin irritation.	
May cause an allergic skin reaction.	
Suspected of damaging fertility or the unborn child.	
May cause respiratory irritation.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Wear protective gloves/protective clothing/eye protection/face protection.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin	with water/shower.
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international reg	ulations
	ululions.
· Directive 2012/18/EU	
• Named dangerous substances - ANNEX I None of the ingredients is listed.	
• Seveso category P5c FLAMMABLE LIQUIDS	
Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t	
\cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t	
• Other regulations, limitations and prohibitive regulations	
• Substances of very high concern (SVHC) according to REACH, Article 57	
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information	
· Relevant phrases	
H225 Highly flammable liquid and vapour.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H335 May cause respiratory irritation.	
H361 Suspected of damaging fertility or the unborn child.	
· Department issuing SDS: Regulatory affairs	
· Contact: msds@gc.dental	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement (Concerning the International
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 10)

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

(Contd. of page 9)

AU -

Trade name: EQUIA_Forte_Coat

Skin Sens. 1: Skin sensitisation – Category 1 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

* * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.