

Page 1/8

# Safety Data Sheet in accordance with HSNO

Printing date 10.05.2021

Version number 3

Revision: 10.05.2021

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

• *Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

### 2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). • Hazard pictograms



Signal word Warning
Hazard statements

Causes skin irritation.
Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

<sup>–</sup> NZ

in accordance with HSNO

Printing date 10.05.2021

Version number 3

Revision: 10.05.2021

#### Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

(Contd. of page 1)

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/Information on ingredients

#### · Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:			
	Nonylphenol, ethoxylated	5-<10%	
NLP: 500-024-6	Skin Irrit. 2, H315; Eye Irrit. 2A, H319		
CAS: 68037-59-2	Methylhydrogen dimethylpolysiloxane	2.5-<5%	
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

#### 4 First aid measures

- · Description of first aid measures
- General information:
- *Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.*
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

- After skin contact:
- *Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.*
- · After eye contact:
- Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

- If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# 5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 3)

NZ

in accordance with HSNO

Printing date 10.05.2021

#### Version number 3

Revision: 10.05.2021

#### Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

(Contd. of page 2)

- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

• Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing. • Environmental precautions: Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

• Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

**Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling Avoid contact with the eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

NZ

# Safety Data Sheet in accordance with HSNO

Printing date 10.05.2021

Version number 3

Revision: 10.05.2021

#### Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

(Contd. of page 3)

	(Contd. of page 3
<ul> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measure The usual precautionary measures are to Avoid contact with the eyes and skin.</li> <li>Wash hands before breaks and at the end Immediately remove all soiled and conta</li> <li>Respiratory protection: Suitable respiratory Protection of hands:</li> </ul>	b be adhered to when handling chemicals. d of work. minated clothing
Protective gloves	
varies from manufacturer to manufacture the glove material can not be calculated <b>Penetration time of glove material</b>	not only depend on the material, but also on further marks of quality and er. As the product is a preparation of several substances, the resistance of in advance and has therefore to be checked prior to the application. e found out by the manufacturer of the protective gloves and has to be
Tightly sealed goggles	
Tightly sealed goggles         Physical and chemical properties	
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem	
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem General Information	
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem	
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Colour:	nical properties Pasty According to product specification
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Colour: Odour:	nical properties Pasty According to product specification Odourless
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Colour: Odour: Odour threshold:	nical properties Pasty According to product specification Odourless Not determined.
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Colour: Odour: Odour: PH-value:	nical properties Pasty According to product specification Odourless
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Colour: Odour: Odour: PH-value:	nical properties Pasty According to product specification Odourless Not determined. Not determined. Undetermined.
Tightly sealed goggles Physical and chemical properties Information on basic physical and cheme General Information Appearance: Form: Colour: Odour: Odour: Odour: PH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range	nical properties Pasty According to product specification Odourless Not determined. Not determined. Undetermined.
Tightly sealed goggles Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Colour: Odour: Odour: PH-value: Change in condition Melting point/freezing point:	nical properties Pasty According to product specification Odourless Not determined. Not determined. Undetermined. :: Undetermined.
Tightly sealed goggles         Physical and chemical properties         Information on basic physical and cheme         General Information         Appearance:         Form:         Colour:         Odour:         Odour:         Odour threshold:         pH-value:         Change in condition         Melting point/freezing point:         Initial boiling point and boiling range         Flash point:	nical properties Pasty According to product specification Odourless Not determined. Not determined. Undetermined. :: Undetermined. Not applicable.
Tightly sealed goggles         Physical and chemical properties         Information on basic physical and cheme         General Information         Appearance:         Form:         Colour:         Odour:         Odour:         Odour:         Odour:         Odour:         Change in condition         Melting point/freezing point:         Initial boiling point and boiling range         Flash point:         Flammability (solid, gas):         Ignition temperature:	nical properties Pasty According to product specification Odourless Not determined. Not determined. Undetermined. Undetermined. Not applicable. Not applicable.
Tightly sealed goggles         Physical and chemical properties         Information on basic physical and chem         General Information         Appearance:         Form:         Colour:         Odour:         Odour:         Odour:         PH-value:         Change in condition         Melting point/freezing point:         Initial boiling point and boiling range         Flash point:         Flash point:	nical properties Pasty According to product specification Odourless Not determined. Not determined. Undetermined. Undetermined. Not applicable. Not applicable. Undetermined. Undetermined.

(Contd. on page 5) NZ-

### Safety Data Sheet in accordance with HSNO

Printing date 10.05.2021

Version number 3

Revision: 10.05.2021

#### Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

	(Contd. of pag	ge 4
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
•	$2,56 \text{ g/cm}^3$	
	1,18g/ml	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (EC)	0.0 g/l	
• Other information	No further relevant information available.	

#### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: No further relevant information available.
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant
- *Repeated dose toxicity No further relevant information available.*

(Contd. on page 6)

NZ –

in accordance with HSNO

Printing date 10.05.2021

Version number 3

Revision: 10.05.2021

Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

# 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

1/17		c i	
14 Trans	nort ini	tormat	10N

· UN-Number · ADR, ADN, IMDG, IATA	not regulated	
	norreginatea	
· UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· ADR, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
· Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	
		(Contd. on page

(Contd. of page 5)

in accordance with HSNO

Printing date 10.05.2021

Version number 3

Revision: 10.05.2021

Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

(Contd. of page 6)

· UN "Model Regulation":

not regulated

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

112926-00-8 silicon dioxide, amorphous

68083-19-2 Vinyldimethylpolysiloxane

9016-45-9 Nonylphenol, ethoxylated

68037-59-2 Methylhydrogen dimethylpolysiloxane

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms* 



· Signal word Warning

• Hazard statements Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.* 

If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

Relevant phrases
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)

NZ –

NZ

Printing date 10.05.2021

Version number 3

Revision: 10.05.2021

#### Trade name: EXAFLEX (Base, Types: Heavy Body, Injection, Monophase and Regular)

(Contd. of page 7) ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • \* Data compared to the previous version altered. This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.