

Page 1/8

Safety Data Sheet in accordance with HSNO

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: GC FujiBulk liquid

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• Details of the supplier of the safety data sheet Henry Schein Dental 23 William Pickering Drive, Albany Auckland 0632, NEW ZEALAND

PO Box 101140, NSMC Auckland 0745, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the Globally Harmonised System (GHS).

• Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: Tartaric acid
- Hazard statements
- Causes serious eye damage.
- Precautionary statements Wear eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
- Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

(Contd. on page 2)

Safety Data Sheet

in accordance with HSNO

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

Trade name: GC FujiBulk liquid

• vPvB: Not applicable.

(Contd. of page 1)

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous components: | | | | |
|-----------------------------------|------------------|--------------------|---------|--|
| CAS: 9003-01-4 | Polyacrylic acid | Eye Irrit. 2, H319 | 25-<50% | |
| CAS: 87-69-4 EINECS: 201-766-0 | | Eye Dam. 1, H318 | 5-<10% | |
| 4 7 7 9 9 7 9 0 1 | | 1 16 | | |

• *Additional information:* For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

• *After eye contact:* Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

• After swallowing:

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

(Contd. on page 3)

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

(Contd. of page 2)

Trade name: GC FujiBulk liquid

· Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
 Avoid contact with the eyes and skin.
 Wear protective clothing.
 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

• Methods and material for containment and cleaning up: Use neutralising agent.

Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

NZ –

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

Trade name: GC FujiBulk liquid

(Contd. of page 3)

- Exposure controls
 Personal protective equipment:
 General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.
 Wash hands before breaks and at the end of work.
 Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
 Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| General Information | | |
|--|--|--|
| Appearance: | | |
| Form: | Liquid | |
| Colour: | Light yellow | |
| Odour: | Odourless | |
| Odour threshold: | Not determined. | |
| pH-value at 20 °C: | 1.9 | |
| Change in condition Melting point/freezing point: Initial boiling point and boiling ra | Undetermined. nge: Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gas): | Not applicable. | |
| Ignition temperature: | Undetermined. | |
| Decomposition temperature: | Not determined. | |
| Auto-ignition temperature: | Product is not selfigniting. | |

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

Trade name: GC FujiBulk liquid

| | (Contd. of pa | age |
|---|---|-----|
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure: | Not determined. | |
| Density: | Not determined. | |
| · | $2,56 \text{ g/cm}^3$ | |
| | 1,18g/ml | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Insoluble. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Water: | 52.0 % | |
| VOC (EC) | 0.0 g/l | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: No further relevant information available.
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Respiratory or skin sensitisation No sensitising effects known.

• Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 6)

NZ

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

(Contd. of page 5)

Trade name: GC FujiBulk liquid

Corrosive

• *Repeated dose toxicity No further relevant information available.*

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

| UN-Number | |
|----------------------------|---|
| ADR, IMDG, IATA | UN3265 |
| UN proper shipping name | |
| ADR | 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S |
| | (Polyacrylic acid, Tartaric acid) |
| IMDG, IATA | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S |
| | (Polyacrylic acid, Tartaric acid) |
| Transport hazard class(es) | |
| ADR | |
| Class | 8 (C3) Corrosive substances. |
| Label | 8 |

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

Trade name: GC FujiBulk liquid

| | (Contd. of page |
|--|--|
| IMDG, IATA | |
| Class | 8 Corrosive substances. |
| Label | 8 |
| Packing group | |
| ADR, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Corrosive substances. |
| Hazard identification number (Kemler code): | 80 |
| EMS Number: | F- A , S - B |
| Segregation groups | Acids |
| Transport in bulk according to Annex II of Mar | pol |
| and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | lL |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| Transport category | 2 |
| Tunnel restriction code | Ε |
| IMDG | |
| Limited quantities (LQ) | IL |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC |
| - | N.O.S. (POLYACRYLIC ACID, TARTARIC ACID), 8, II |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labelling: Tartaric acid*

(Contd. on page 8)

Printing date 06.05.2020

Version number 1

Revision: 06.05.2020

Trade name: GC FujiBulk liquid

(Contd. of page 7)

NZ

· Hazard statements

Causes serious eye damage.

Precautionary statements
Wear eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER/doctor.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H318 Causes serious eye damage. H319 Causes serious eye irritation.

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

· Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 · Sources • ECHA (http://echa.europa.eu/)

- EnviChem (www.echemportal.org)
- * Data compared to the previous version altered.

This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.