

Page 1/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2024

Version number 6 (replaces version 5)

Revision: 10.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: COE-COMFORT Liquid · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Benzyl benzoate

(Contd. on page 2)

GB

Printing date 10.06.2024

Version number 6 (replaces version 5)

Revision: 10.06.2024

#### Trade name: COE-COMFORT\_Liquid

	(Contd. of page 1)
Hazard stateme	ents
H225 Highly flo	ummable liquid and vapour.
H302 Harmful	
	, iquatic life with long lasting effects.
Precautionary :	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional info	rmation:
Contains Peppe	rmint oil, methyl salicylate. May produce an allergic reaction.
2.3 Other hazar	rds
<b>Results of PBT</b>	and vPvB assessment
<b>PBT:</b> Not appli	

· vPvB: Not applicable.

# **SECTION 3:** Composition/information on ingredients

#### · 3.2 Mixtures

#### · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

75%
0%
:1%
:1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

#### • General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

(Contd. on page 3)

<sup>-</sup> GB

Printing date 10.06.2024

#### Version number 6 (replaces version 5)

Revision: 10.06.2024

(Contd. of page 2)

## Trade name: COE-COMFORT\_Liquid

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

• *After skin contact: If skin irritation continues, consult a doctor.* 

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures
Remove persons from danger area. Keep away from ignition sources.
Wear protective clothing.
• 6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to penetrate the ground/soil.
In case of seepage into the ground inform responsible authorities.
· 6.3 Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Absorb liquid components with liquid-binding material.
Dispose of the material collected according to regulations.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 4)

Printing date 10.06.2024

Version number 6 (replaces version 5)

Revision: 10.06.2024

## Trade name: COE-COMFORT\_Liquid

(Contd. of page 3)

# SECTION 7: Handling and storage · 7.1 Precautions for safe handling *Ensure good ventilation/exhaustion at the workplace.* Prevent formation of aerosols. · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray onto a naked flame or any incandescent material. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in unopened original receptacles. • Information about storage in one common storage facility: Store away from foodstuffs. • Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place. · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 64-17-5 ethyl alcohol WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- *Respiratory protection:* Suitable respiratory protective device recommended.
- Hand protection Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB


Printing date 10.06.2024

\*

Version number 6 (replaces version 5)

Revision: 10.06.2024

## Trade name: COE-COMFORT\_Liquid



<sup>(</sup>Contd. on page 6)

Printing date 10.06.2024

#### Version number 6 (replaces version 5)

Revision: 10.06.2024

#### Trade name: COE-COMFORT\_Liquid

		(Contd. of page 5
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammab	le gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11:** Toxicological information

 $\cdot$  11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Harmful if swallowed.

· LD/LC50	· LD/LC50 values relevant for classification:				
120-51-4	120-51-4 Benzyl benzoate				
Oral	LD50	500 mg/kg (rat (f+m))			
Dermal	LD50	4,000 mg/kg (rat (f+m))			
64-17-5 e	64-17-5 ethyl alcohol				
Oral	LD50	7,060 mg/kg (rat (f+m))			
Inhalative	e LC50/4 h	20,000 mg/l (rat (f+m))			
119-36-8	119-36-8 methyl salicylate				
Oral	LD50	890 mg/kg (ATE)			
		1,060 mg/kg (guinea pig)			
· Additiona	· Additional toxicological information:				
· Repeated	· Repeated dose toxicity No further relevant information available.				
	• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.				

(Contd. on page 7)

- GB

Printing date 10.06.2024

Version number 6 (replaces version 5)

Revision: 10.06.2024

(Contd. of page 6)

List II

## Trade name: COE-COMFORT\_Liquid

#### · 11.2 Information on other hazards

#### · Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Remark: Toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1987
· 14.2 UN proper shipping name	
·ADR	1987 ALCOHOLS, N.O.S. (ETHANOL SOLUTION
	ISOPROPYL ALCOHOL), ENVIRONMENTALL
	HAZARDOUS, special provision 640D
·IMDG	ALCOHOLS, N.O.S. (ETHANOL SOLUTION, ISOPROPY
	ALCOHOL), MARINE POLLUTANT
·IATA	ALCOHOLS, N.O.S. (ETHANOL SOLUTION, ISOPROPY
	ALCOHOL)

Printing date 10.06.2024

Version number 6 (replaces version 5)

Revision: 10.06.2024

# Trade name: COE-COMFORT\_Liquid

	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
Class Label	3 (F1) Flammable liquids. 3
IMDG	
Class	3 Flammable liquids.
Label	3
IATA	
Class Label 14.4 Packing group	3 Flammable liquids. 3
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
	Benzyl benzoate
Marine pollutant:	Benzyl benzoate Yes Symbol (fish and tree)
Marine pollutant: Special marking (ADR):	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree)
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids.
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code):	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree)
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IM	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E,S-D B
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IM instruments	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E,S-D B
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IM instruments	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E,S-D B
Transport/Additional information: ADR	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E,S-D B O Not applicable.
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IM instruments Transport/Additional information: ADR Limited quantities (LQ)	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E,S-D B O Not applicable.
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IM instruments Transport/Additional information: ADR	Benzyl benzoate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E,S-D B <b>O</b> Not applicable. IL Code: E2 Maximum net quantity per inner packaging: 30 ml
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 14.7 Maritime transport in bulk according to IM instruments Transport/Additional information: ADR Limited quantities (LQ)	Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Flammable liquids. 33 F-E,S-D B <b>O</b> Not applicable. IL Code: E2

Printing date 10.06.2024

#### Version number 6 (replaces version 5)

Revision: 10.06.2024

### Trade name: COE-COMFORT\_Liquid

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S. (ETHANOL SOLUTION, ISOPROPYL ALCOHOL), 3, II, ENVIRONMENTALLY HAZARDOUS

## **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

# • Regulated explosives precursors

None of the ingredients is listed.

## · Regulated poisons

None of the ingredients is listed.

#### · Reportable explosives precursors

None of the ingredients is listed.

#### Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H361d Suspected of damaging the unborn child.
- H411 Toxic to aquatic life with long lasting effects.
- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- · Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 10)

GB

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.06.2024

Version number 6 (replaces version 5)

Revision: 10.06.2024

# Trade name: COE-COMFORT\_Liquid

	(Contd. of page 9)
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	(contai of page ))
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
ATE: Acute toxicity estimate values	
Flam. Liq. 2: Flammable liquids – Category 2	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. ID: Shin sensitisation – Category I	
Skin Sens. 1B: Skin sensitisation – Category 1B	
Repr. 2: Reproductive toxicity – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
· Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
• * Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statements, re	commendations
or suggestions are made without any guarantee, representation or warranty, express or implie	
Therefore, no warranty is made or to be implied that the information set out in this document	
complete, and we accordingly exclude all liability in connection with the use of this information	
referred to herein. All such risks are assumed by the purchaser/user. The information contained	
subject to change without notice. For the avoidance of doubt, however, nothing in this docum	ent excludes or
limits our liability for death or personal injury caused by our negligence or for fraudulent misrepre	esentation.