

Page 1/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: EXAFLEX PUTTY Base

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxiliary for dental technology

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00

Fax +32/(0)16/40.26.84 msds@gc.dental

• Information department: Regulatory affairs • 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Ouartz

· Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

EU

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

(Contd. of page 1)

Trade name: EXAFLEX_PUTTY_Base

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

Determination of endocrine-disrupting properties

9016-45-9 Nonylphenol, ethoxylated

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous	1	
14808-60-7	Quartz	50-<75%
	STOT RE 1, H372	
8012-95-1	Paraffin oils	5-<10%
	Asp. Tox. 1, H304; Aquatic Chronic 4, H413	
	antimony nickel titanium oxide yellow	0.5-<1%
9016-45-9	Nonylphenol, ethoxylated	≥0.25-<0.5%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319 (I)	
·SVHC		
9016-45-9 i	Nonylphenol, ethoxylated	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

EU

List I

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.
 - For safety reasons unsuitable extinguishing agents: Water with full jet
 - 5.2 Special hazards arising from the substance or mixture
 - Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Remove persons from danger area. Wear protective clothing.*
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

- In case of seepage into the ground inform responsible authorities.
- **6.3 Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material.

Dispose of the collected material according to regulations.

· 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 19.07.2024

*

*

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

(Contd. of page 3)

8.1 Control parameters Components with limit values that require monitoring at the workplace:				
14808-60-7 Quartz	I man			
BOELV Long-term value: 0.1* mg/m ³				
*respirable fraction				
8007-18-9 antimony nickel titanium oxide	vellow			
BOELV Long-term value: 0.1* mg/m ³				
as Ni; sens. dermal/resp. *inhalabl	le			
	valid during the creation were used as basis.			
-				
· 8.2 Exposure controls	hnical systems: No further data; see section 7.			
Personal protective equipment:	nnicu systems. No jurner auta, see section 7.			
General protective and hygienic measures:				
The usual precautionary measures for hand				
Wash hands before breaks and at the end of				
Keep away from foodstuffs, beverages and f				
Breathing equipment: Suitable respiratory	protective device recommended.			
Protection of hands: Protective gloves				
Material of gloves				
	t only depend on the material, but also on further marks of quality a			
	As the product is a preparation of several substances, the resistance			
the glove material can not be calculated in a	As the product is a preparation of several substances, the resistance advance and has therefore to be checked prior to the application.			
the glove material can not be calculated in a Penetration time of glove material	advance and has therefore to be checked prior to the application.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for				
the glove material can not be calculated in a Penetration time of glove material	advance and has therefore to be checked prior to the application.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed.	advance and has therefore to be checked prior to the application.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed.	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemica	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemica 9.1 Information on basic physical and chemica General Information	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Color:	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chem General Information Physical state Color: Odor:	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Color: Odor: Odor threshold:	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemica 9.1 Information on basic physical and chemica General Information Physical state Color: Odor: Odor threshold: Melting point/Melting range:	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined. Undetermined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical General Information Physical state Color: Odor: Odor threshold: Melting point/Melting range: Boiling point/Boiling range:	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Undetermined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.1 Information on	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined. Undetermined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.1 Information on	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Not applicable.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.1 Information on	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to advance and by the manufacturer of the protective gloves and has to advance and properties mical properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Not applicable. Not determined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.1 Information Physical state Color: Odor threshold: Melting point/Melting range: Boiling point/Boiling range: Flammability (solid, gaseous): Explosion limits: Lower: Upper:	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to advance and by the manufacturer of the protective gloves and has to advance and properties mical properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.1 Information on	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to advance and by the manufacturer of the protective gloves and has to advance and properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.2 Color: 9.1 Information on basic physical and chemical 9.1 Information 9.1 Information on basic physical and chemical 9.1 Information 9.1 Information	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. Undetermined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.2 Color: 9.1 Information on basic physical and chemical 9.1 Information 9.1 Information on basic physical and chemical 9.1 Information on basic physical and chemical 9.1 Information 9.1 Information 9	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined.			
the glove material can not be calculated in a Penetration time of glove material The exact break through time has to be for observed. Eye protection: Safety glasses SECTION 9: Physical and chemical 9.1 Information on basic physical and chemical 9.2 Color: 9.1 Information on basic physical and chemical 9.1 Information 9.1 Information on basic physical and chemical 9.1 Information 9.1 Information	advance and has therefore to be checked prior to the application. ound out by the manufacturer of the protective gloves and has to al properties mical properties Fluid Yellow Odorless Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. Undetermined.			

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

	(Contd. of page		
Dynamic:	Not determined.		
Solubility in / Miscibility with			
Water:	Insoluble.		
Partition coefficient (n-octanol/water):	Not determined.		
Vapor pressure:	Not determined.		
Density and/or relative density			
Density:	Not determined.		
Relative density	Not determined.		
Vapor density	Not determined.		
9.2 Other information			
Appearance:			
Form:	Pasty		
Important information on protection of heat	lth and		
environment, and on safety.			
Ignition temperature:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Solvent content:			
VOC (EC)	$0.0 \ g/l$		
Change in condition			
Evaporation rate	Not determined.		
Information with regard to physical hazard class			
Explosives	Void		
Flammable gases	Void		
Aerosols	Void		
Oxidising gases	Void		
Gases under pressure	Void		
Flammable liquids	Void		
Flammable solids	Void		
Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
Substances and mixtures, which emit flammable	le gases		
in contact with water	Void		
· Oxidising liquids	Void		
Oxidising solids	Void		
Organic peroxides	Void		
Corrosive to metals	Void		
Desensitised explosives	Void		

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

EU

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 5)

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

- Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: No further relevant information available.
- \cdot on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.*
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- Specific target organ toxicity single exposure Based on available data, the classification criteria are not met.
- Specific target organ toxicity repeated exposure
- Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- **Repeated dose toxicity** No further relevant information available.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.
- · 11.2 Information on other hazards

Endocrine disrupting properties

9016-45-9 Nonylphenol, ethoxylated

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

List I

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 00 00 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)

18 01 00 wastes from natal care, diagnosis, treatment or prevention of disease in humans

18 01 06* chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information	tion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated
· 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Ann. MARPOL73/78 and the IBC Code	nex II of Not applicable.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

8007-18-9 antimony nickel titanium oxide yellow

9016-45-9 Nonylphenol, ethoxylated

(Contd. on page 8)

EU

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

Chomicals	65 known to cause cancer:	
14808-60-7		
	antimony nickel titanium oxide yellow	
	known to cause reproductive toxicity for females:	
	ingredients is listed.	
•		
	known to cause reproductive toxicity for males:	
	ingredients is listed.	
	known to cause developmental toxicity:	
None of the	ingredients is listed.	
Carcinogen	ic categories	
	conmental Protection Agency)	
None of the	ingredients is listed.	
TLV (Three	hold Limit Value)	
14808-60-7	-	Ŀ
8007-18-9	antimony nickel titanium oxide yellow	
MAK (Gern	nan Maximum Workplace Concentration)	· · · · · ·
14808-60-7	Quartz	
8007-18-9	antimony nickel titanium oxide yellow	
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
14808-60-7	Quartz	
8007-18-9	antimony nickel titanium oxide yellow	
Directive 2)12/18/EU	
	gerous substances - ANNEX I None of the ingredients is listed.	
LIST OF S	UBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)	
	Nonylphenol, ethoxylated	Sunset date: 2021-01-0
	ION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3	
0	(EU) No 649/2012	
9016-45-9	Nonylphenol, ethoxylated	Annex I Part
		Annex I Part
	/E 2011/65/EU on the restriction of the use of certain hazardous st quipment – Annex II	ubstances in electrical a
	ingredients is listed.	
U	ION (EU) 2019/1148	
	RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the	e purpose of licensing un
Article 5(3)		Furfree of menning me
None of the	ingredients is listed.	
Annov II	REPORTABLE EXPLOSIVES PRECURSORS	
Annex 11 -	ingradiants is listed	
None of the	ingreatents is tisted.	

EU

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

(Contd. of page 8)

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX I (Ozone- depleting potential)

• Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

9016-45-9 Nonylphenol, ethoxylated

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- Date of previous version 19.07.2024
- Version number of previous version: 1
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1
- Asp. Tox. 1: Aspiration hazard Category 1
- $\label{eq:Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2$
- Aquatic Chronic 4: Hazardous to the aquatic environment long-term aquatic hazard Category 4

Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- * Data compared to the previous version altered.
- This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations (Contd. on page 10)

Printing date 19.07.2024

Version number 2 (replaces version 1)

Revision: 19.07.2024

Trade name: EXAFLEX_PUTTY_Base

(Contd. of page 9)

EU -

or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.