

Page 1/9

Safety data sheet according to UK REACH

Printing date 12.08.2024

*

Version number 3 (replaces version 2)

Revision: 12.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name: GC Fuji ORTHO BAND LC PASTE PAK (Automix Compatible) Paste A · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Exemptions The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). · Hazard pictograms GHS07 · Signal word Warning (Contd. on page 2) GB

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

		(Contd. of page 1)
· Hazard-deteri	mining components of labelling:	
2-hydroxyethy		
Urethane Dim	nethacrylate (UDMA)	
• Hazard staten	nents	
H315 Causes	skin irritation.	
H319 Causes	serious eye irritation.	
H317 May cat	use an allergic skin reaction.	
H412 Harmfu	I to aquatic life with long lasting effects.	
· Precautionary	y statements	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves / eye protection / face protection.	
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove compresent and easy to do. Continue rinsing.	ntact lenses, if
P501	Dispose of contents/container in accordance with local/regional/national regulations.	/international
· 2.3 Other haz	ards	
· Results of PB	T and vPvB assessment	

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

*

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

CAS: 868-77-9	2-hydroxyethyl metacrylate	10-<25%
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Index number: 607-124-00-X		
CAS: 68909-20-6	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products	5-<10%
EINECS: 272-697-1	with silica	
	STOT RE 2, H373, EUH066	
	Nanoform: set including amorphous nanoforms; surface-treated	
	nanoforms; Spheroidal; amorphous forms; amorphous	
	nanoform	
CAS: 1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	2.5-<5%
EINECS: 217-388-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	2.5-<5%
EINECS: 276-957-5	Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
Index number: 607-767-00-6		
CAS: 128-37-0	Butylated hydroxytoluene	0.1-<0.2%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Substance identified as having endocrine disrupting properties (II)	

(Contd. on page 3)

GB

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

If skin irritation continues, consult a doctor.

• *After eye contact:* Protect unharmed eye. Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Allow to evaporate. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

(Contd. on page 4)

GB

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

(Contd. of page 3)

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal	DNEL dermal	0.5 mg/kg bw/day (man)
Inhalative	DNEL inhalation	3.5 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

• General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

(Contd. on page 5)

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

(Contd. of page 4)

• Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection



*

Tightly sealed goggles

SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical pro	operties	
· General Information		
· Physical state	Fluid	
· Colour:	According to product specification	
· Odour:	Characteristic	
• Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling rai	nge 205 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	97 °C	
Auto-ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Insoluble.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
· Relative density	Not determined.	

(Contd. on page 6)

GB

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

	(Contd. of page
Vapour density	Not determined.
Particle characteristics	68909-20-6 Silanamine, 1,1,1-trimethyl-N
	(trimethylsilyl)-, hydrolysis products with silica:
	set including amorphous nanoforms; surface-treate
	nanoforms; Spheroidal; amorphous forms; amorphou
	nanoform
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	ulth and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	$0.0 \ g/l$
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammab	ole gases
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

GE

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

(Contd. of page 6)

List II

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (*OECD* 401)

128-37-0 Butylated hydroxytoluene

Oral LD50 >6,000 mg/kg (rat (f+m)) (OECD 401)

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- *Respiratory or skin sensitisation* May cause an allergic skin reaction.
- Additional toxicological information:
- *Repeated dose toxicity No further relevant information available.*
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

• 11.2 Information on other hazards

· Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

(Contd. of page 7)

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport informati	ion	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 9)

GB

Printing date 12.08.2024

Version number 3 (replaces version 2)

Revision: 12.08.2024

Trade name: GC_Fuji_ORTHO_BAND_LC_PASTE_PAK_(Automix_Compatible)_Paste_A

	(Contd. of page 8)
	319 Causes serious eye irritation.
	335 May cause respiratory irritation.
H	373 May cause damage to organs through prolonged or repeated exposure.
H	400 Very toxic to aquatic life.
H	410 Very toxic to aquatic life with long lasting effects.
H	411 Toxic to aquatic life with long lasting effects.
E	UH066 Repeated exposure may cause skin dryness or cracking.
	lassification according to Regulation (EC) No 1272/2008 Calculation method
• D	epartment issuing SDS: Regulatory affairs
	ontact: msds@gc.dental
	bbreviations and acronyms:
	DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
	arriage of Dangerous Goods by Road)
IN	IDG: International Maritime Code for Dangerous Goods
	TA: International Air Transport Association
	HS: Globally Harmonised System of Classification and Labelling of Chemicals
	INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances
	AS: Chemical Abstracts Service (division of the American Chemical Society)
	OC: Volatile Organic Compounds (USA, EU)
	NEL: Derived No-Effect Level (UK REACH)
	C50: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent PT. Powietest Piegeownulative and Toxic
	BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative
	tin Irrit. 2: Skin corrosion/irritation – Category 2
	ve Irrit. 2: Serious eye damage/eye irritation – Category 2
	cin Sens. 1: Skin sensitisation – Category I
	xin Sens. 1B: Skin sensitisation – Category 1B
	FOT SE 3: Specific target organ toxicity (single exposure) – Category 3
	FOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 quatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
	quatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
-	juatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aq	quatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
	ources
	ECHA (http://echa.europa.eu/)
•	EnviChem (www.echemportal.org)
. *	Data compared to the previous version altered.
T	his version replaces all previous versions.
D	isclaimer:
T	he information contained herein is believed to be true and accurate. However, all statements, recommendations
	r suggestions are made without any guarantee, representation or warranty, express or implied, on our part.
	herefore, no warranty is made or to be implied that the information set out in this document is accurate or
	pomplete, and we accordingly exclude all liability in connection with the use of this information or the products
	eferred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also
	ibject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or
	inject to change without holice. For the avoidance of abudi, however, holning in this accument excludes or mits one head by our performance of for frequencies the interpretation

limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.