

Page 1/9

Safety data sheet according to UK REACH

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: GC Fuji ORTHO BAND PASTE PAK Paste A · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Auxillary for dental technology • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax + 32/(0)16/40.26.84msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123

Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). • Hazard pictograms



· Signal word Warning

(Contd. on page 2)

⁻ GB

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

	(Contd. of page 1)
Hazard-determ	ining components of labelling:
2-hydroxyethyl	
Urethane Dime	thacrylate (UDMA)
Hazard statem	ents
H315 Causes st	kin irritation.
H319 Causes s	erious eye irritation.
H317 May caus	se an allergic skin reaction.
H412 Harmful	to aquatic life with long lasting effects.
Precautionary	statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P	2338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other haza	rds
Results of PBT	and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

CAS: 868-77-9	2-hydroxyethyl metacrylate	10-<25%
EINECS: 212-782-2 Index number: 607-124-00-X	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 68909-20-6 EINECS: 272-697-1	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica STOT RE 2, H373, EUH066 Nanoform: set including amorphous nanoforms; surface-treated nanoforms; Spheroidal; amorphous forms; amorphous nanoform	5-<10%
CAS: 1830-78-0 EINECS: 217-388-4	2-Hydroxy-1,3 dimethacryloxypropane Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-<10%
CAS: 72869-86-4 EINECS: 276-957-5 Index number: 607-767-00-6	Urethane Dimethacrylate (UDMA) Aquatic Chronic 2, H411; Skin Sens. 1B, H317	5-<10%
CAS: 128-37-0 EINECS: 204-881-4	Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Substance identified as having endocrine disrupting properties (II)	0.1-<0.2%

(Contd. on page 3)

GB

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• *After skin contact: Immediately wash with water and soap and rinse thoroughly.*

Seek medical treatment.

If skin irritation continues, consult a doctor.

• *After eye contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Then consult a doctor.*

- After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

(Contd. on page 4)

GB

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

(Contd. of page 3)

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal	DNEL dermal	0.5 mg/kg bw/day (man)
Inhalative	DNEL inhalation	3.5 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

GB

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection



*

Tightly sealed goggles

SECTION 9: Physical and chemical properties

\cdot 9.1 Information on basic physical and chemical prop	erties
· General Information	
· Physical state	Fluid
· Colour:	Blue
· Odour:	Odourless
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling rang	e Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	97 °C
· Auto-ignition temperature:	Undetermined.
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50$ nm (TEM)
	d50, number-based)
	Diameter agglomerate $= 5 - 50$ mm (laser diffraction dry
	module, d50, volume based)
	68909-20-6 Silanamine, 1,1,1-trimethyl-N-
	(trimethylsilyl)-, hydrolysis products with silica:
	set including amorphous nanoforms; surface-treated
	nanoforms; Spheroidal; amorphous forms; amorphous nanoform
	(Contd. on page 6

GB —

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

	(Contd. of page
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of hea	alth and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	$0.0 \ g/l$
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	isses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammal	ble gases
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

(Contd. on page 7)

- GB -

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

(Contd. of page 6)

List II

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

128-37-0 Butylated hydroxytoluene

Oral |*LD50* | >6,000 mg/kg (rat (f+m)) (*OECD* 401)

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Additional toxicological information:

- · Repeated dose toxicity No further relevant information available.
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)* No further relevant information available.
- 11.2 Information on other hazards

• Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- Additional ecological information:

• General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

(Contd. on page 8)

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

(Contd. of page 7)

14.1 UN number or ID number ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- *H400 Very toxic to aquatic life.*
- *H410 Very toxic to aquatic life with long lasting effects.*

(Contd. on page 9)

GB

Printing date 25.07.2024

Version number 4 (replaces version 3)

Revision: 25.07.2024

Trade name: GC_Fuji_ORTHO_BAND_PASTE_PAK_Paste_A

(Contd. of pag	;e 8)
H411 Toxic to aquatic life with long lasting effects.	
EUH066 Repeated exposure may cause skin dryness or cracking.	
Classification according to Regulation (EC) No 1272/2008 Calculation method	
Department issuing SDS: Regulatory affairs	
Contact: msds@gc.dental	
Abbreviations and acronyms:	
IDR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par route (European Agreement Concerning the International des marchandises dangereuses par	onal
Carriage of Dangerous Goods by Road)	
MDG: International Maritime Code for Dangerous Goods	
ATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
LINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
/OC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)	
CS0: Lethal concentration, 50 percent	
D50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
PvB: very Persistent and very Bioaccumulative	
kin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
kin Sens. 1: Skin sensitisation – Category 1	
ikin Sens. 1B: Skin sensitisation – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Iquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Iquatic Active 1: Industrious to the aquatic environment - devire aquatic hazard – Category 1 Iquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Iquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
quatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
Sources	
ECHA (http://echa.europa.eu/)	
EnviChem (www.echemportal.org)	
* Data compared to the previous version altered.	
This version replaces all previous versions.	
· ·	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statements, recommendation	
or suggestions are made without any guarantee, representation or warranty, express or implied, on our pa	
Therefore, no warranty is made or to be implied that the information set out in this document is accurate	e or
complete, and we accordingly exclude all liability in connection with the use of this information or the produ	icts
eferred to herein. All such risks are assumed by the purchaser/user. The information contained herein is a	
ubject to change without notice. For the avoidance of doubt, however, nothing in this document excludes	
ubject to change without notice. For the doctation of double, however, a for finandian mission extended	0,

limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.