

Page 1/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.08.2024

Version number 4 (replaces version 3)

Revision: 16.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

Nanoform

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

• Further information obtainable from: Regulatory affairs

· 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

• Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

• Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labelling:* Urethane Dimethacrylate (UDMA) Dibenzovl peroxide

· Hazard statements

H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 16.08.2024

Version number 4 (replaces version 3)

Revision: 16.08.2024

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

(Contd. of page 1) · Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. · Determination of endocrine-disrupting properties 128-37-0 Butylated hydroxytoluene List II

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous	components:	
72869-86-4	Urethane Dimethacrylate (UDMA)	10-<25%
	Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	5-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
68909-20-6	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	2.5-<5%
	STOT RE 2, H373, EUH066	
	Nanoform: set including amorphous nanoforms; surface-treated nanoforms;	
	Spheroidal; amorphous forms; amorphous nanoform	
94-36-0	Dibenzoyl peroxide	0.2-<0.5%
	Org. Perox. B, H241; Eye Irrit. 2, H319; Skin Sens. 1, H317	
128-37-0	Butylated hydroxytoluene	0.1-<0.2%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Substance identified as having endocrine disrupting properties (II)	
	Substance identified as having endocrine disrupting properties (II)	
· Additional i	<i>nformation:</i> For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

(Contd. on page 3)

Printing date 16.08.2024

Version number 4 (replaces version 3)

Revision: 16.08.2024

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

(Contd. of page 2)

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

+ 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

• 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

• Information about fire - and explosion protection: Protect against electrostatic charges.

(Contd. on page 4)

EU

Printing date 16.08.2024

Version number 4 (replaces version 3)

Revision: 16.08.2024

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

(Contd. of page 3)

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

(Contd. on page 5)

Printing date 16.08.2024

*

Version number 4 (replaces version 3)

Revision: 16.08.2024

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

(Contd. of page 4)

- EU -

9.1 Information on basic physical and chemical proper	rties	
General Information		
Physical state	Fluid	
Colour:	White	
Odour:	Odourless	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling range		
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	>150 °C	
Auto-ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
pH Vice vice	Not determined.	
Viscosity:	NT . 1	
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility	T 1 1 1	
water:	Insoluble.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Particle characteristics	SiO2: Diameter particle structure = $2.5 - 50 \text{ nm}$ (TE	
	d50, number-based)	
	Diameter agglomerate = $5 - 50 \text{ mm}$ (laser diffraction of	
	module, d50, volume based)	
	68909-20-6 Silanamine, 1,1,1-trimethyl-	
	(trimethylsilyl)-, hydrolysis products with silica:	
	set including amorphous nanoforms; surface-trea	
	nanoforms; Spheroidal; amorphous forms; amorpho	
	nanoform	
9.2 Other information		
Appearance:		
Form:	Pasty	
Important information on protection of health and		
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:		
VOC (EC)	0.0 g/l	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard classes		
Explosives	Void	
Flammable gases	Void	

Printing date 16.08.2024

Version number 4 (replaces version 3)

Revision: 16.08.2024

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

		(Contd. of page
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammal	ble gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (*OECD* 401)

128-37-0 Butylated hydroxytoluene

Oral LD50 >6,000 mg/kg (rat (f+m)) (OECD 401)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• Additional toxicological information:

• *Repeated dose toxicity No further relevant information available.*

• *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.*

(Contd. on page 7)

⁻ EU

Printing date 16.08.2024

Version number 4 (replaces version 3)

Revision: 16.08.2024

(Contd. of page 6)

List II

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

• 11.2 Information on other hazards

· Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT	
	KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)	
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans	
18 01 06*	chemicals consisting of or containing hazardous substances	

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 8)

EU -

Printing date 16.08.2024

Version number 4 (replaces version 3)

Revision: 16.08.2024

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

	(Co	ontd. of page 7)
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

- H241 Heating may cause a fire or explosion.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

(Contd. on page 9)

EU

Revision: 16.08.2024

Printing date 16.08.2024

Version number 4 (replaces version 3)

Trade name: GRADIA_CORE_CARTRIDGE_DISPENSER_Catalyst

(Contd. of page 8) H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. · Classification according to Regulation (EC) No 1272/2008 Calculation method · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental • Date of previous version: 16.08.2024 • Version number of previous version: 3 • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Org. Perox. B: Organic peroxides – Type B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part.

or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

EU-