

References

As of 3 April 2024



GC Unifast TRAD
General purpose
Acrylic Resin

“GC”



GC Unifast TRAD

General purpose acrylic resin

1. Flexural strength of provisional restorative materials. Y.I. Osman, C.P. Owen. The Journal of Prosthetic Dentistry, Volume 70, Number 1, July 1993.
2. Strength of provisional crown and bridge resins. D.R. Haselton, A.M. Diaz Arnold, M.A. Vargas. Abstract 626 - 30th Annual Meeting of the AADR – 25th Annual Meeting of the CADR 2001, Chicago, USA.
3. Surface roughness of twelve provisional crown materials. D.R. Haselton, A.M. Diaz-Arnold. Abstract 627 - 30th Annual Meeting of the AADR – 25th Annual Meeting of the CADR 2001, Chicago, USA.
4. Color change of materials used to fabricate provisional prosthodontic restorations. D.R. Haselton, A.M. Diaz-Arnold. Abstract 856 - 30th Annual Meeting of the AADR – 25th Annual Meeting of the CADR, 2001, Chicago, USA.
5. Fracture resistance of provisional crown & bridge restoration materials. R. Lang, M. Rosentritt, M. Behr, G. Handel. Abstract 105 – 37th Annual Meeting of the EADR, 2001, Rome, Italy.
6. In vitro wear of provisional crown and bridge materials. M. Rosentritt, P. Taubenhansl, M. Behr, R. Lang, G. Handel. Abstract 135 - 37th Annual Meeting of the EADR, 2001, Rome, Italy.
7. Shear bond strength of provisional restoration materials after completion. R. Lang, R. Rosentritt, Ch. Langer, G. Handel. Abstract 535 – EADR, September 2002, Cardiff.
8. Effects of adding NaF, GIC to autopolymerizing resin on flexural strength. K. Nuangsri, C. Hengtrakool, U. Kedjarune. Abstract 0925 – 81st General Session of the IADR, 2003, Göteborg, Sweden.
9. Evaluation of the surface roughness of certain acrylic resins for temporary crowns. K.Z. Kantorski; L.F. Valandro, M.A. Bottino, R. J"las, R. Scotti, M.C. Bottino. Abstract 1515 – 81st General Session of the IADR, 2003, Göteborg, Sweden.
10. Provisorische Kronen- und Brückenmaterialien. P.Pfeiffer und H. Schwickerath. Dtsch Zahnärztl Z 43, 552-557 (1988)
11. In-vitro-Freisetzung von Restmonomeren aus provisoricshen Kronen- und Brückenmaterialien. A. Preiss, R. Hecht, B. Windmüller, N. Gunser. Deutsche Zahnärztliche Zeitschrift 56 (2001) 10
12. Handling efficiency of autopolymerized resin applied using the brush-on technique. H. Chiba, N. Kamada, S. Takeuchi, Y. Sato, T. Aoki, Y. Suzuki, C. Ohkubo, T. Hosoi. Abstract 614 – 84st General Session of the IADR, 2006, Brisbane, Australia.



13. Dimensional accuracy of autopolymerized resin applied using the brush-on technique. N. Shibuya, C. Ohkubo, Y. Suzuki, T. Aoki, T. Hosoi. Abstract 623 – 84st General Session of the IADR, 2006, Brisbane, Australia.
14. Bending strengths and hardness of autopolymerized acrylic resin. T. Osada, T. Ishimoto, T. Aoki, Y. Suzuki, C. Ohkubo, T. Hosoi. Abstract 1537 – 84st General Session of the IADR, 2006, Brisbane, Australia.
15. Bending strengths of repaired acrylic resin with reinforcing wire. Y. Yamaguchi, K. Ashigaki, H. Shimpo, J. Kawanishi, C. Ohkubo, Y. Suzuki, T. Hosoi and Y. Miyama. Abstract 1048, IADR 2009 Miami, USA
16. Mechanical Properties of CAD/CAM Blanks for Temporary Restoration. T. Michii. Abstract 2728 – IADR Brazil 2012
17. In vitro comparison of the surface roughness of polymethyl methacrylate and bis-acrylic resins for interim restorations before and after polishing. L. Gantz, G. Fauxpoint, Y. Arntz, H. Pelletier, O. Etienne. The Journal of Prosthetic Dentistry, Volume 125 Issue 5, 833.e1-833.e10. <https://doi.org/10.1016/j.prosdent.2021.02.009>.
18. Strength and stiffness of interim materials and interim fixed dental prostheses when tested at different loading rates. Lee, J., Clark, S. R., Tantbirojn, D., Korioth, T. V. P., Hill, A. E., & Versluis, A. (2020). Journal of Prosthetic Dentistry, 127(1), 161–167. <https://doi.org/10.1016/j.prosdent.2020.10.008>
19. Effect of metal priming agents on bonding characteristics of an acrylic resin joined to SUS XM27 steel. Ishikawa, Y., Kawamoto, Y., Koizumi, H., Furuchi, M., Matsumura, H., & Tanoue, N. (2006). Journal of Oral Science, 48(4), 215–218. <https://doi.org/10.2334/JOSNUSD.48.215>
20. Effects of different repolishing techniques on colour change of provisional prosthetic materials. Rutkunas, V., & Sabaliauskas, V. (2009). Stomatologija / Issued by Public Institution “Odontologijos Studija” ... [et Al.], 11(4), 102–112. <https://pubmed.ncbi.nlm.nih.gov/20179397/>
21. Surface treatment with methyl formate–methyl acetate increased the shear bond strength between reline resins and denture base resin. Osathananda, R., & Wiwatwarrapan, C. (2016). Gerodontology, 33(2), 147–154. <https://doi.org/10.1111/GER.12120>
22. The effect of various frequencies of ultrasonic cleaner in reducing residual monomer in acrylic resin. Charasseangpaisarn, T., & Wiwatwarrapan, C. (2015). Ultrasonics, 63, 163–167. <https://doi.org/10.1016/J.ULTRAS.2015.07.005>
23. Comparison of marginal accuracy of interim restoration fabricated from self-cure composite and autopolymerizing acrylic resin: An in vitro study. Madhavan, S., Jude, S. M., Achammada, S., Ullattuthodi, S., Kurian, T., & Jacob, J. (2020). Journal of Pharmacy and Bioallied Sciences, 12(5), S361–S366. https://doi.org/10.4103/JPBS.JPBS_106_20



24. Tensile bond strength between autopolymerized acrylic resin and acrylic denture teeth treated with MF-MA solution. Thongrakard, T., & Wiwatwarrapan, C. (2016). *Journal of Advanced Prosthodontics*, 8(4), 285–289. <https://doi.org/10.4047/jap.2016.8.4.285>
25. The Effect of Chemical Surface Treatments on the Flexural Strength of Repaired Acrylic Denture Base Resin. Thunyakitpisal, N., Thunyakitpisal, P., & Wiwatwarapan, C. (2011). *Journal of Prosthodontics*, 20(3), 195–199. <https://doi.org/10.1111/j.1532-849X.2011.00688.x>
26. N-Acetyl Cysteine as a Novel Polymethyl Methacrylate Resin Component: Protection against Cell Apoptosis and Genotoxicity. Zhang, Y., Xiao, J. F., Yang, H. F., Jiao, Y., Cao, W. W., Shi, H. M., Cun, J. F., Tay, F. R., Ping, J., & Xiao, Y. H. (2019). *Oxidative Medicine and Cellular Longevity*, 2019. <https://doi.org/10.1155/2019/1301736>
27. Effects of alumina air-abrasion and acidic priming agents on bonding between SUS XM27 steel and auto-polymerizing acrylic resin. Ishikawa, Y., Ohashi, N., Koizumi, H., Tanoue, N., Nishiyama, N., & Matsumura, H. (2007). *Journal of Oral Science*, 49(3), 191–195. <https://doi.org/10.2334/JOSNU.49.191>
28. Comparative Evaluation of Marginal Discrepancy in Tooth Colored Self Cure Acrylic Provisional Restorations with and without Reinforcement of Glass Beads: An In-Vitro Study. Yasangi, M. K., Mannem, D., Bommireddy, V., Neturi, S., Ravoori, S., & Jyothi. (2015). *Journal of Clinical and Diagnostic Research*, 9(5), ZC98–ZC101. <https://doi.org/10.7860/JCDR/2015/12416.5983>
29. Ultrasonic cleaning reduces the residual monomer in acrylic resins. Charasseangpaisarn, T., Wiwatwarrapan, C., & Leklerssiriwong, N. (2016). *Journal of Dental Sciences*, 11(4), 443–448. <https://doi.org/10.1016/j.jds.2016.07.003>
30. Influence of thermomechanical aging on marginal gap of CAD-CAM and conventional interim restorations. Angwarawong, T., Reepornmaha, T., & Angwaravong, O. (2020). *Journal of Prosthetic Dentistry*, 124(5), 566.e1–566.e6. <https://doi.org/10.1016/j.prosdent.2020.03.036>
31. Comparison of fracture strength after thermomechanical aging between provisional crowns made with CAD/CAM and conventional method. Reepornmaha, T., Angwaravong, O., & Angwarawong, T. (2020). *Journal of Advanced Prosthodontics*, 12(4), 218–224. <https://doi.org/10.4047/jap.2020.12.4.218>