



Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- · Trade name: G-CEM_Liquid
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC Australasia Dental Pty Ltd 1753 Botany Road Banksmeadow, NSW 2019 Tel: +61 2 9301 8200

- · Further information obtainable from: Regulatory affairs
- · Emergency telephone number: 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

· Classification of the substance or mixture

Skin corrosion/irritation – Category 2 H315 Causes skin irritation.

Eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Skin sensitisation – Category 1 H317 May cause an allergic skin reaction.

Specific target organ toxicity (single exposure) – H335 May cause respiratory irritation.

Category 3

- · Label elements
- GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

Urethane Dimethacrylate (UDMA) (10-<25 %) 2-Hydroxy-1,3 dimethacryloxypropane (25-<50 %)

· Hazard statements

Causes skin irritation.

(Contd. on page 2)

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM_Liquid

(Contd. of page 1)

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| Dangerous | components: | |
|------------|--|-------------|
| 1830-78-0 | 2-Hydroxy-1,3 dimethacryloxypropane | 25-<50% |
| | Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335 | |
| 72869-86-4 | Urethane Dimethacrylate (UDMA) | 10-<25% |
| | Skin sensitisation – Category 1B, H317 | |
| 85590-00-7 | methacryloyloxydecyl dihydrogen phosphate | 1-<2.5% |
| | Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335 | |
| 123-31-9 | hydroquinone | ≥0.25-<0.5% |
| | Germ cell mutagenicity – Category 2, H341; Carcinogenicity – Category 2, H351; Eye damage/irritation – Category 1, H318; Acute toxicity - oral – Category 4, H302; Skin sensitisation – Category 1, H317 | |
| 3077-12-1 | 2,2'-[(4-methylphenyl)imino]bisethanol | 0.2-<0.5% |
| | Acute toxicity - oral – Category 3, H301; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335 | |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 0.2-<0.5% |
| | Reproductive toxicity – Category 2, H361; Skin sensitisation – Category 1B, H317 | |

·SVHC

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Additional information: For the wording of the listed hazard phrases refer to section 16.

AU

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM_Liquid

(Contd. of page 2)

4 First Aid Measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

· Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

(Contd. on page 4)

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM Liquid

(Contd. of page 3)

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.


(Contd. on page 5)

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM_Liquid

(Contd. of page 4)

· Eye protection:



9 Physical and Chemical Properties

· General Information

· Appearance:

Form: Liquid
Colour: Light yellow
Odour: Odourless
Odour threshold: Not determined.
pH-value: Not determined.

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Flammability (solid, gas):
 Auto-ignition temperature:
 Decomposition temperature:
 Undetermined.
 Not determined.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
 Upper: Not determined.
 Vapour pressure: Not determined.
 Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

• water: Insoluble. • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.
Kinematic: Not determined.

· Solvent content:

· Water: 7.3 % *· VOC (EC)* 0.0 g/l

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 6)

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM_Liquid

(Contd. of page 5)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

ΑU

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM_Liquid

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| Transport information | | |
|---|-----------------|--|
| · UN-Number | not noculated | |
| · ADG, ADN, IMDG, IATA | not regulated | |
| · UN proper shipping name · ADG, ADN, IMDG, IATA | not regulated | |
| · Transport hazard class(es) | | |
| · ADG, ADN, IMDG, IATA | | |
| · Class | not regulated | |
| · Packing group | | |
| · ADG, IMDG, IATA | not regulated | |
| Environmental hazards: | | |
| · Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| · Transport in bulk according to Annex I | I of Marpol | |
| and the IBC Code | Not applicable. | |
| · UN "Model Regulation": | not regulated | |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

| · Australian I | Inventory of Industrial Chemicals |
|----------------|--|
| 72869-86-4 | Urethane Dimethacrylate (UDMA) |
| 7732-18-5 | Water |
| 68611-44-9 | Silane, dichlorodimethyl-, reaction products with silica |
| 123-31-9 | hydroquinone |
| 3077-12-1 | 2,2'-[(4-methylphenyl)imino]bisethanol |
| 10373-78-1 | Camphorquinone |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide |
| 6381-92-6 | Ethylene diaminetetraacetic acid sodium salt |
| · Standard fo | r the Uniform Scheduling of Medicines and Poisons |
| 123-31-9 h | vdroquinone S2_S4_S6 |

123-31-9 hydroquinone

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

(Contd. on page 8)

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM_Liquid

(Contd. of page 7)

- GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

Urethane Dimethacrylate (UDMA) (10-<25 %)

2-Hydroxy-1,3 dimethacryloxypropane (25-<50 %)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

Printing date 14.08.2024 Version number 4 Revision: 14.08.2024

Trade name: G-CEM_Liquid

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute toxicity - oral - Category 3: Acute toxicity - Category 3

Acute toxicity - oral - Category 4: Acute toxicity - Category 4

Skin corrosion/irritation - Category 2: Skin corrosion/irritation - Category 2

Evo demonstration - Category 1: Springs and demonstration irritation - Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1 Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin sensitisation – Category 1: Skin sensitisation – Category 1

Skin sensitisation – Category 1B: Skin sensitisation – Category 1B

Germ cell mutagenicity - Category 2: Germ cell mutagenicity - Category 2

Carcinogenicity - Category 2: Carcinogenicity - Category 2

Reproductive toxicity - Category 2: Reproductive toxicity - Category 2

Specific target organ toxicity (single exposure) - Category 3: Specific target organ toxicity (single exposure) - Category 3

·Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

* Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.



Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
- · Trade name: G-CEM_Powder
- · Relevant identified uses of the substance or mixture and uses advised against
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC Australasia Dental Pty Ltd 1753 Botany Road Banksmeadow, NSW 2019 Tel: +61 2 9301 8200

- · Further information obtainable from: Regulatory affairs
- · Emergency telephone number: 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

· Classification of the substance or mixture

Respiratory sensitisation – Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitisation – Category 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

Potassium persulfate (1-<2.5 %)

· Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Trade name: G-CEM Powder

(Contd. of page 1)

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

Wear respiratory protection.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous | components: | |
|-------------|--|-----------|
| | Potassium persulfate | 1-<2.5% |
| | Oxidising solids - Category 3, H272; Respiratory sensitisation — Category 1, H334; Acute toxicity - oral — Category 4, H302; Skin corrosion/irritation — Category 2, H315; Eye damage/irritation — Category 2A, H319; Skin sensitisation — Category 1, H317; Specific target organ toxicity (single exposure) — Category 3, H335 | |
| 13463-67-7 | titanium dioxide | 0.2-<0.5% |
| | Carcinogenicity – Category 2, H351 | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Trade name: G-CEM Powder

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid formation of dust.

Avoid contact with the eyes and skin.

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Prevent formation of dust.

Dispose of the material collected according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Do not inhale dust / smoke / mist.

Any unavoidable deposit of dust must be regularly removed.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection:

Protect against electrostatic charges.

Dust can combine with air to form an explosive mixture.

- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

(Contd. on page 4)

Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Trade name: G-CEM_Powder

(Contd. of page 3)

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

7727-21-1 Potassium persulfate

WES Peak limitation: 0.01 mg/m³

Sen

13463-67-7 titanium dioxide

WES Long-term value: 10 mg/m³ inhalable dust

· DNELs

13463-67-7 titanium dioxide

Inhalative | DNEL inhalation | 10 mg/m3 (man)

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

AU

Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Trade name: G-CEM Powder

(Contd. of page 4)

9 Physical and Chemical Properties

· General Information

· Appearance:

Form: Powder
Colour: White
Odour: Odourless
Odour threshold: Not determined.
pH-value: Not applicable.

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range: Undetermined.
 Flash point:
 Flammability (solid, gas):
 Auto-ignition temperature:
 Decomposition temperature:
 Not determined.
 Not determined.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not applicable.
Density: Not determined.
Relative density Not determined.
Vapour density Not applicable.
Evaporation rate Not applicable.

· Solubility in / Miscibility with

• water: Insoluble. • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable.Kinematic: Not applicable.

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · **Possibility of hazardous reactions** No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Trade name: G-CEM_Powder

(Contd. of page 5)

· LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide

Oral | LD50 | >5,000 mg/kg (mouse) (OECD 420)

Inhalative |LC50/4|h| > 6.82 mg/l (rat male)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

ΔΙΙ

Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Trade name: G-CEM Powder

(Contd. of page 6)

| UN-Number ADG, ADN, IMDG, IATA | not regulated | |
|--|-----------------|--|
| | noi reguiaica | |
| UN proper shipping name ADG, ADN, IMDG, IATA | not regulated | |
| Transport hazard class(es) | | |
| ADG, ADN, IMDG, IATA Class | not regulated | |
| Packing group ADG, IMDG, IATA | not regulated | |
| Environmental hazards: | | |
| Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex I | I of Marpol | |
| and the IBC Code | Not applicable. | |
| UN "Model Regulation": | not regulated | |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

7727-21-1 Potassium persulfate

S6

- · Australia: Priority Existing Chemicals
- 7727-21-1 Potassium persulfate
- GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Potassium persulfate (1-<2.5 %)

· Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

(Contd. on page 8)

Printing date 14.08.2024 Version number 3 Revision: 08.12.2023

Trade name: G-CEM_Powder

(Contd. of page 7)

Wear respiratory protection.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Oxidising solids - Category 3: Oxidizing solids - Category 3

Acute toxicity - oral - Category 4: Acute toxicity - Category 4

 ${\it Skin\ corrosion/irritation-Category\ 2: Skin\ corrosion/irritation-Category\ 2}$

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A Respiratory sensitisation – Category 1: Respiratory sensitisation – Category 1

Skin sensitisation – Category 1: Skin sensitisation – Category 1

Carcinogenicity - Category 2: Carcinogenicity - Category 2

Specific target organ toxicity (single exposure) - Category 3: Specific target organ toxicity (single exposure) - Category 3

Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

* Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.